

Certain[®] Implant System

Ordering Information



D = Diameter • P = Restorative Platform

T3 Tapered Platform Switched Implants Commercially Pure Titanium



Length	Without DCD®				With DCD			
	-	4.0 mmD x 3.4 mmP	5.0 mmD x 4.1 mmP	6.0 mmD x 5.0 mmP	-	4.0 mmD x 3.4 mmP	5.0 mmD x 4.1 mmP	6.0 mmD x 5.0 mmP
	-				-			
8.5 mm	-	BOPT4385	BOPT5485	BOPT6585	-	BNPT4385	BNPT5485	BNPT6585
10 mm	-	BOPT4310	BOPT5410	BOPT6510	-	BNPT4310	BNPT5410	BNPT6510
11.5 mm	-	BOPT4311	BOPT5411	BOPT6511	-	BNPT4311	BNPT5411	BNPT6511
13 mm	-	BOPT4313	BOPT5413	BOPT6513	-	BNPT4313	BNPT5413	BNPT6513
15 mm	-	BOPT4315	BOPT5415	BOPT6515	-	BNPT4315	BNPT5415	BNPT6515

T3 Tapered Non-Platform Switched Implants Commercially Pure Titanium



Length	Without DCD				With DCD			
	3.25 mmD x 3.4 mmP	4.0 mmD x 4.1 mmP	5.0 mmD x 5.0 mmP	6.0 mmD x 6.0 mmP	3.25 mmD x 3.4 mmP	4.0 mmD x 4.1 mmP	5.0 mmD x 5.0 mmP	6.0 mmD x 6.0 mmP
8.5 mm	BOST3285	BOST485	BOST585	BOST685	BNST3285	BNST485	BNST585	BNST685
10 mm	BOST3210	BOST410	BOST510	BOST610	BNST3210	BNST410	BNST510	BNST610
11.5 mm	BOST3211	BOST411	BOST511	BOST611	BNST3211	BNST411	BNST511	BNST611
13 mm	BOST3213	BOST413	BOST513	BOST613	BNST3213	BNST413	BNST513	BNST613
15 mm	BOST3215	BOST415	BOST515	BOST615	BNST3215	BNST415	BNST515	BNST615

T3 Parallel Walled Platform Switched Implants Commercially Pure Titanium



Length	Without DCD				With DCD			
	-	4.0 mmD x 3.4 mmP	5.0 mmD x 4.1 mmP	6.0 mmD x 5.0 mmP	-	4.0 mmD x 3.4 mmP	5.0 mmD x 4.1 mmP	6.0 mmD x 5.0 mmP
	-				-			
8.5 mm	-	BOPS4385	BOPS5485	BOPS6585	-	BNPS4385	BNPS5485	BNPS6585
10 mm	-	BOPS4310	BOPS5410	BOPS6510	-	BNPS4310	BNPS5410	BNPS6510
11.5 mm	-	BOPS4311	BOPS5411	BOPS6511	-	BNPS4311	BNPS5411	BNPS6511
13 mm	-	BOPS4313	BOPS5413	BOPS6513	-	BNPS4313	BNPS5413	BNPS6513
15 mm	-	BOPS4315	BOPS5415	BOPS6515	-	BNPS4315	BNPS5415	BNPS6515

T3 Parallel Walled Non-Platform Switched Implants Commercially Pure Titanium



Length	Without DCD				With DCD			
	3.25 mmD x 3.4 mmP	4.0 mmD x 4.1 mmP	5.0 mmD x 5.0 mmP	6.0 mmD x 6.0 mmP	3.25 mmD x 3.4 mmP	4.0 mmD x 4.1 mmP	5.0 mmD x 5.0 mmP	6.0 mmD x 6.0 mmP
8.5 mm	BOSS385	BOSS485	BOSS585	BOSS685	BNSS385	BNSS485	BNSS585	BNSS685
10 mm	BOSS310	BOSS410	BOSS510	BOSS610	BNSS310	BNSS410	BNSS510	BNSS610
11.5 mm	BOSS311	BOSS411	BOSS511	BOSS611	BNSS311	BNSS411	BNSS511	BNSS611
13 mm	BOSS313	BOSS413	BOSS513	BOSS613	BNSS313	BNSS413	BNSS513	BNSS613
15 mm	BOSS315	BOSS415	BOSS515	BOSS615	BNSS315	BNSS415	BNSS515	BNSS615
18 mm	BOSS318	BOSS418	-	-	BNSS318	BNSS418	-	-

All Implants include the corresponding Flat Cover Screw.

T3 Implants: Have a Contemporary Hybrid Design with a T3 Surface (blasted and acid-etched with an average mean surface roughness value of 1.4 µm) along the threaded portion of the Implant and Osseotite® Surface (acid-etched) on the collar part of the implant.

DCD Surface: Discrete Crystalline Deposition of nanometer sized calcium phosphate crystals on the implant surface.

D = Diameter • P = Restorative Platform • EP = Emergence Profile

Osseotite Tapered Prevail® Implants (Platform Switched) Commercially Pure Titanium



Length	-	4.0 mmD x 3.4 mmP	5.0 mmD x 4.1 mmP	6.0 mmD x 5.0 mmP
8.5 mm	-	XIITP4385	XIITP5485	XIITP6585
10 mm	-	XIITP4310	XIITP5410	XIITP6510
11.5 mm	-	XIITP4311	XIITP5411	XIITP6511
13 mm	-	XIITP4313	XIITP5413	XIITP6513
15 mm	-	XIITP4315	XIITP5415	XIITP6515




Osseotite Tapered Implants Titanium Alloy - Hybrid; Commercially Pure Titanium - FOSS



Length	3.25 mmD x 3.4 mmP		4.0 mmD x 4.1 mmP		5.0 mmD x 5.0 mmP		6.0 mmD x 6.0 mmP	
	Hybrid	FOSS	Hybrid	FOSS	Hybrid	FOSS	Hybrid	FOSS
8.5 mm	INT3285	XIFNT3285	INT485	XIFNT485	INT585	XIFNT585	INT685	XIFNT685
10 mm	INT3210	XIFNT3210	INT410	XIFNT410	INT510	XIFNT510	INT610	XIFNT610
11.5 mm	INT3211	XIFNT3211	INT411	XIFNT411	INT511	XIFNT511	INT611	XIFNT611
13 mm	INT3213	XIFNT3213	INT413	XIFNT413	INT513	XIFNT513	INT613	XIFNT613
15 mm	INT3215	XIFNT3215	INT415	XIFNT415	INT515	XIFNT515	INT615	XIFNT615

Osseotite Parallel Walled Implants Titanium Alloy - Hybrid; Commercially Pure Titanium - FOSS



Length	3.25 mmD x 3.4 mmP		4.0 mmD x 4.1 mmP		5.0 mmD x 5.0 mmP		6.0 mmD x 6.0 mmP	
	Hybrid	FOSS	Hybrid	FOSS	Hybrid	FOSS	Hybrid	FOSS
8.5 mm	IOSM385	XIFOSM385	IOSS485	XIFOSS485	IOSS585	XIFOSS585	IOSS685	XIFOSS685
10 mm	IOSM310	XIFOSM310	IOSS410	XIFOSS410	IOSS510	XIFOSS510	IOSS610	XIFOSS610
11.5 mm	IOSM311	XIFOSM311	IOSS411	XIFOSS411	IOSS511	XIFOSS511	IOSS611	XIFOSS611
13 mm	IOSM313	XIFOSM313	IOSS413	XIFOSS413	IOSS513	XIFOSS513	IOSS613	XIFOSS613
15 mm	IOSM315	XIFOSM315	IOSS415	XIFOSS415	IOSS515	XIFOSS515	IOSS615	XIFOSS615
18 mm	IOSM318	-	IOSS418	-	-	-	-	-
20 mm	-	-	IOSS420	-	-	-	-	-

All Implants include the corresponding Flat Cover Screw.

Hybrid: Machined collar with the Osseotite Surface on the threaded portion.

FOSS and Prevail Implants: Full Osseotite Surface on the collar and the threaded portion.

Bone Profilers

Mechanical Iso-Latch Bone Profilers	
Description	Item No.
Certain Implant Bone Profiling Guide Pin 3.4 mmP (3 Pk)	IBPMGP
Certain Implant Bone Profiling Guide Pin 4.1 mmP, 5.0 mmP, 6.0 mmP (3 Pk)	IBPGP
Bone Profiler 3.4 mmP x 3.8 mmEP	BP340
Bone Profiler 4.1 mmP x 5.6 mmEP	BP450
Bone Profiler 4.1 mmP x 6 mmEP	BP460
Bone Profiler 4.1 mmP x 7.5 mmEP	BP475
Bone Profiler 5.0 mmP x 5.0 mmEP	BP550
Bone Profiler 5.0 mmP x 6.0 mmEP	BP560
Bone Profiler 5.0 mmP x 7.5 mmEP	BP575
Bone Profiler 6.0 mmP x 6.0 mmEP	BP660
Bone Profiler 6.0 mmP x 7.5 mmEP	BP675
Low Profile Abutment Bone Profiler 3.4 mmP	LPCBP3
Low Profile Abutment Bone Profiler 4.1 mmP	LPCBP4
Low Profile Abutment Bone Profiler 5.0 mmP	LPCBP5

Manual Bone Profilers	
Description	Item No.
Certain Manual Bone Profiler 3.4 mmP x 4.1 mmEP	IMMBP
Certain Manual Bone Profiler 3.4 mmP x 5.0 mmEP	IMMBP35
Certain Manual Bone Profiler 4.1 mmP x 5.0 mmEP	IMBP4
Certain Manual Bone Profiler 5.0 mmP x 6.0 mmEP	IMBP5
Certain Low Profile Abutment Manual Bone Profiler 3.4 mmP	ILPCMBP3
Certain Low Profile Abutment Manual Bone Profiler 4.1 mmP	ILPCMBP4
Certain Low Profile Abutment Manual Bone Profiler 5.0 mmP	ILPCMBP5

Mechanical iso-latch bone profilers work with the hand-piece and drill unit.

Certain Implants have a color coded restorative platform with four different seating surfaces: 3.4 mm, 4.1 mm, 5.0 mm and 6.0 mm.



P = Restorative Platform • EP = Emergence Profile • H = Collar Height
PS = Platform Switched • NPS = Non-Platform Switched



Three different Emergence Profiles for the same Restorative Platform



BellaTek® Encode® Healing Abutments

3.4 mmP Restorative Platform	
Description	Item No.
3.8 mmEP x 3.0 mmH	IEHA343
3.8 mmEP x 4.0 mmH	IEHA344
3.8 mmEP x 6.0 mmH	IEHA346
3.8 mmEP x 8.0 mmH	IEHA348
5.0 mmEP x 3.0 mmH	IEHA353
5.0 mmEP x 4.0 mmH	IEHA354
5.0 mmEP x 6.0 mmH	IEHA356
5.0 mmEP x 8.0 mmH	IEHA358

5.0 mmP Restorative Platform	
Description	Item No.
5.6 mmEP x 3.0 mmH	IEHA553
5.6 mmEP x 4.0 mmH	IEHA554
5.6 mmEP x 6.0 mmH	IEHA556
5.6 mmEP x 8.0 mmH	IEHA558
6.0 mmEP x 3.0 mmH	IEHA563
6.0 mmEP x 4.0 mmH	IEHA564
6.0 mmEP x 6.0 mmH	IEHA566
6.0 mmEP x 8.0 mmH	IEHA568

4.1 mmP Restorative Platform	
Description	Item No.
4.1 mmEP x 3.0 mmH	IEHA443
4.1 mmEP x 4.0 mmH	IEHA444
4.1 mmEP x 6.0 mmH	IEHA446
4.1 mmEP x 8.0 mmH	IEHA448
5.0 mmEP x 3.0 mmH	IEHA453
5.0 mmEP x 4.0 mmH	IEHA454
5.0 mmEP x 6.0 mmH	IEHA456
5.0 mmEP x 8.0 mmH	IEHA458
6.0 mmEP x 3.0 mmH	IEHA463
6.0 mmEP x 4.0 mmH	IEHA464
6.0 mmEP x 6.0 mmH	IEHA466
6.0 mmEP x 8.0 mmH	IEHA468

6.0 mmP Restorative Platform	
Description	Item No.
6.8 mmEP x 3.0 mmH	IEHA663
6.8 mmEP x 4.0 mmH	IEHA664
6.8 mmEP x 6.0 mmH	IEHA666
6.8 mmEP x 8.0 mmH	IEHA668



Occlusal markings provide information designed to aid in the design of patient specific abutments.

Encode Healing Abutments are two-piece.

Standard EP® Healing Abutments

3.4 mmP Restorative Platform	
Description	Item No.
3.4 mmEP x 2.0 mmH	ISMHA32
3.4 mmEP x 3.0 mmH	ISMHA33
3.4 mmEP x 4.0 mmH	ISMHA34
3.4 mmEP x 6.0 mmH	ISMHA36
3.8 mmEP x 2.0 mmH	IMHA32
3.8 mmEP x 3.0 mmH	IMHA33
3.8 mmEP x 4.0 mmH	IMHA34
3.8 mmEP x 6.0 mmH	IMHA36
5.0 mmEP x 2.0 mmH	IMHA352
5.0 mmEP x 3.0 mmH	IMHA353
5.0 mmEP x 4.0 mmH	IMHA354
5.0 mmEP x 6.0 mmH	IMHA356

5.0 mmP Restorative Platform	
Description	Item No.
5.0 mmEP x 2.0 mmH	ISWHA52
5.0 mmEP x 3.0 mmH	ISWHA53
5.0 mmEP x 4.0 mmH	ISWHA54
5.0 mmEP x 6.0 mmH	ISWHA56
5.0 mmEP x 8.0 mmH	ISWHA58
5.6 mmEP x 2.0 mmH	IWTH52
5.6 mmEP x 3.0 mmH	IWTH53
5.6 mmEP x 4.0 mmH	IWTH54
5.6 mmEP x 6.0 mmH	IWTH56
5.6 mmEP x 8.0 mmH	IWTH58
6.0 mmEP x 2.0 mmH	IWTH562
6.0 mmEP x 3.0 mmH	IWTH563
6.0 mmEP x 4.0 mmH	IWTH564
6.0 mmEP x 6.0 mmH	IWTH566
6.0 mmEP x 8.0 mmH	IWTH568

4.1 mmP Restorative Platform	
Description	Item No.
4.1 mmEP x 2.0 mmH	ISHA42
4.1 mmEP x 3.0 mmH	ISHA43
4.1 mmEP x 4.0 mmH	ISHA44
4.1 mmEP x 6.0 mmH	ISHA46
4.1 mmEP x 8.0 mmH	ISHA48
5.0 mmEP x 2.0 mmH	ITHA52
5.0 mmEP x 3.0 mmH	ITHA53
5.0 mmEP x 4.0 mmH	ITHA54
5.0 mmEP x 6.0 mmH	ITHA56
5.0 mmEP x 8.0 mmH	ITHA58
6.0 mmEP x 3.0 mmH	ITHA63
6.0 mmEP x 4.0 mmH	ITHA64
6.0 mmEP x 6.0 mmH	ITHA66
6.0 mmEP x 8.0 mmH	ITHA68

6.0 mmP Restorative Platform	
Description	Item No.
6.0 mmEP x 2.0 mmH	ISWHA62
6.0 mmEP x 3.0 mmH	ISWHA63
6.0 mmEP x 4.0 mmH	ISWHA64
6.0 mmEP x 6.0 mmH	ISWHA66
6.0 mmEP x 8.0 mmH	ISWHA68
6.8 mmEP x 2.0 mmH	IWTH62
6.8 mmEP x 3.0 mmH	IWTH63
6.8 mmEP x 4.0 mmH	IWTH64
6.8 mmEP x 6.0 mmH	IWTH66
6.8 mmEP x 8.0 mmH	IWTH68

Standard Healing Abutments are one-piece.

P = Restorative Platform • EP = Emergence Profile • H = Collar Height

PreFormance® Posts

Material: PEEK with Titanium Alloy connection

Indications:

- Guided soft-tissue healing of single- and multiple-unit provisional cement-retained restorations
- Minimum interarch space of 7.0 mm
- Maximum angulation of 15°
- Intraoral use limited to 180 days
- Immediate non-occlusal loading of single-unit provisional restorations
- Multiple-unit restorations will require an evaluation of occlusal forces in lateral and protrusive excursions and masticatory forces to minimize the load on the provisional restorations
- Single- and multi-unit cement-retained provisional restoration
- Includes titanium alloy screw



PreFormance Posts

3.4 mmP		Restorative Platform	
Description	Item No. (Straight)	Item No. (15° Pre-Angled)	
3.8 mmEP x 4.0 mmH	IMPFP34	IMPAPF34	
3.8 mmEP x 6.0 mmH	IMPFP36	IMPAPF36	
5.0 mmEP x 4.0 mmH	IMPFP354	IMPAPF354	
5.0 mmEP x 6.0 mmH	IMPFP356	IMPAPF356	

4.1 mmP		Restorative Platform	
Description	Item No. (Straight)	Item No. (15° Pre-Angled)	
5.0 mmEP x 4.0 mmH	IPFP454	IPAPF454	
5.0 mmEP x 6.0 mmH	IPFP456	IPAPF456	

5.0 mmP		Restorative Platform	
Description	Item No. (Straight)	Item No. (15° Pre-Angled)	
5.0 mmEP x 4.0 mmH	IWFPF554	IPAPF554	
5.0 mmEP x 6.0 mmH	IWFPF556	IPAPF556	

6.0 mmP		Restorative Platform	
Description	Item No. (Straight)	Item No. (15° Pre-Angled)	
6.0 mmEP x 4.0 mmH	IWFPF664	IPAPF664	
6.0 mmEP x 6.0 mmH	IWFPF666	IPAPF666	

Temporary Cylinders

Material: PEEK or Titanium Alloy

Indications:

- Single- and multiple-unit provisional screw-retained restorations
- Minimum interarch space of 6 mm for PreFormance and 7 mm for Titanium Cylinders
- Maximum angulation of 15°
- Intraoral use limited to 180 days for the PreFormance Temporary Cylinders
- Immediate non-occlusal loading of single-unit provisional restorations
- Multiple-unit restorations will require an evaluation of occlusal forces in lateral and protrusive excursions and masticatory forces to minimize the load on the provisional restorations
- Includes titanium alloy screw



PreFormance Temporary Cylinders

Restorative Platform	Item No. (Hexed)	Item No. (Non-Hexed)
3.4 mmP	IMPFTC34	IMPFTC32
4.1 mmP	IPFTC41	IPFTC42
5.0 mmP	IWPFTC51	IWPFTC52
6.0 mmP	IWPFTC61	IWPFTC62



Titanium Temporary Cylinders

Restorative Platform	Item No. (Hexed)	Item No. (Non-Hexed)
3.4 mmP	IMMTC51	—
4.1 mmP	IITCS41	IITCS42
5.0 mmP	IWTCS51	IWTCS52
6.0 mmP	IWTCS61	IWTCS62

Most Provisional Abutments (PreFormance Posts and Temporary Cylinders) include the corresponding Titanium Hexed Screw.

P = Restorative Platform • EP = Emergence Profile • H = Collar Height

BellaTek Express and Flex Abutments

Material: Titanium Alloy With Titanium Nitride Coating

Indications:

- Single- and multi-unit screw- or cement-retained restorations
- Flex abutment adjustable to 4 different heights (4.75, 7.0, 9.0 and 12.0 mm)
- Digital crown and bridge workflow
- Up to 20° Angle screw-channel

BellaTek Express Abutments



Restorative Platform	Item No. (Hexed)	Item No. (Non-Hexed)
3.4 mmP	IE351	IE352
4.1 mmP	IE451	IE452
5.0 mmP	IE551	IE552
6.0 mmP	IE651	IE652



BellaTek Flex Abutments

Restorative Platform	Item No. (Hexed)	Item No. (Non-Hexed)
3.4 mmP	IF3121	IF3122
4.1 mmP	IF4121	IF4122
5.0 mmP	IF5121	IF5122
6.0 mmP	IF6121	IF6122

Flex and Express Abutments do not include the screw. The final Gold-Tite® Screw (IUNIHG) must be ordered separately.

GingiHue® Posts

Material: Titanium Alloy With Titanium Nitride Coating

Indications:

- Single- and multi-unit cement-retained restorations
- For use in areas of thin tissue where gingival discoloration may be possible with a non coated Titanium abutment
- Preparable to follow gingival contours
- Conventional crown and bridge procedures
- Maximum angulation correction of 15°
- Minimum interarch space of 7.0 mm

GingiHue Posts



3.4 mmP	Restorative Platform		
Description		Item No. (Straight)	Item No. (15° Pre-Angled)
3.8 mmEP	x 2.0 mmH	IMAP32G	IMPAP32G
3.8 mmEP	x 4.0 mmH	IMAP34G	IMPAP34G
5.0 mmEP	x 2.0 mmH	IMAP352G	IMPAP352G
5.0 mmEP	x 4.0 mmH	IMAP354G	IMPAP354G

4.1 mmP	Restorative Platform		
Description		Item No. (Straight)	Item No. (15° Pre-Angled)
5.0 mmEP	x 2.0 mmH	IAPP452G	IPAP452G
5.0 mmEP	x 4.0 mmH	IAPP454G	IPAP454G
6.0 mmEP	x 2.0 mmH	IAPP462G	IPAP462G
6.0 mmEP	x 4.0 mmH	IAPP464G	IPAP464G

5.0 mmP	Restorative Platform		
Description		Item No. (Straight)	Item No. (15° Pre-Angled)
5.0 mmEP	x 2.0 mmH	IWPP552G	IPAP552G
5.0 mmEP	x 4.0 mmH	IWPP554G	IPAP554G
6.0 mmEP	x 2.0 mmH	IWPP562G	IPAP562G
6.0 mmEP	x 4.0 mmH	IWPP564G	IPAP564G

6.0 mmP	Restorative Platform		
Description		Item No. (Straight)	Item No. (15° Pre-Angled)
6.0 mmEP	x 2.0 mmH	IWPP662G	IPAP662G
6.0 mmEP	x 4.0 mmH	IWPP664G	IPAP664G

GingiHue Posts do not include the screw. The final Gold-Tite® Screw (IUNIHG) must be ordered separately.

UCLA Abutments

Material:

- Gold: Machined Gold Alloy Cylinder
- Castable: Delrin Plastic
- Titanium: Titanium Alloy

Indications:

- Cement- and screw-retained restorations
- Single- and multi-unit restorations
- Laboratory fabricated custom abutments and bridges
- For aesthetic restorations when tissue is limited
- Maximum angulation correction of 30°
- Minimum interarch space of 6.0 mm

Gold Alloy Cylinder Formulation	
Melting Range	1400–1490°C (2550–2710°F)
Solidus	1400°C
Liquidus	1490°C
An alloy with a CTE of 10 ⁻⁶ /K at 500°C is recommended for casting.	

UCLA Abutments



3.4 mmP Restorative Platform		Item No.
Material	Description	
Gold	Hexed	IMUCG1C [†]
Gold	Non-Hexed (With Gold-Tite Large Diameter Screw)	IMUCG2C
Gold	Non-Hexed (With Ti Large Diameter Screw)	IMUCG2T
Titanium	Hexed	IMUCT1 [†]
Titanium	Non-Hexed	IMUCT2 ^{††}

4.1 mmP Restorative Platform		Item No.
Material	Description	
Gold	Hexed	IGUCA1C [†]
Gold	Non-Hexed (With Gold-Tite Large Diameter Screw)	IGUCA2C
Gold	Non-Hexed (With Ti Large Diameter Screw)	IGUCA2T

5.0 mmP Restorative Platform		Item No.
Material	Description	
Gold	Hexed	IWGA51C [†]
Gold	Non-Hexed (With Gold-Tite Large Diameter Screw)	IWGA52C
Gold	Non-Hexed (With Ti Large Diameter Screw)	IWGA52T

6.0 mmP Restorative Platform		Item No.
Material	Description	
Gold	Hexed	IWGA61C [†]
Gold	Non-Hexed (With Gold-Tite Large Diameter Screw)	IWGA62C
Gold	Non-Hexed (With Ti Large Diameter Screw)	IWGA62T

[†] These abutments do not include the screw. The final Gold-Tite Screw (IUNIHG) or the Titanium Screw (IUNIHT) must be ordered separately.

^{††} These abutments do not include the screw. The final large Gold-Tite Screw (ILRGHG) or the large Titanium Screw (ILRGHT) must be ordered separately.

Lapping Tool For Castable UCLA Abutment

Restorative Platform	Item No.
3.4 mmP	IMLT150
4.1 mmP	ILT150
5 mmP	ILT150



Polishing Protector For UCLA Abutment

Restorative Platform	Item No.
3.4 mmP	IPPMM1
4.1 mmP	IPPIA3
5 mmP	IPPIA5
6 mmP	IPPIA6


P = Restorative Platform • H = Collar Height • L = Length

Low Profile Abutments

Material: Titanium Alloy

Indications:

- Two-piece abutments for single-unit screw-retained restorations
- One-piece abutments for multi-unit screw-retained restorations
- Minimum interarch space of 7.5 mm
- Minimum tissue height of 1.0 mm
- Maximum angulation correction of 30°



Low Profile Abutments

3.4 mmP	Restorative Platform	Description	One Piece	Two Piece	17°	30°
		1.0 mmH	ILPC341U	ILPC341	-	-
		2.0 mmH	ILPC342U	ILPC342	ILPAC3217	-
		3.0 mmH	ILPC343U	ILPC343	-	ILPAC3330
		4.0 mmH	ILPC344U	ILPC344	ILPAC3417	-
		5.0 mmH	-	-	-	ILPAC3530

Component/Abutment Compatibility

Component	Hexed Abutment	Non-Hexed Abutment
Hexed	Yes	No
Non-Hexed	Yes	Yes

4.1 mmP	Restorative Platform	Description	One Piece	Two Piece	17°	30°
		1.0 mmH	ILPC441U	ILPC441	-	-
		2.0 mmH	ILPC442U	ILPC442	ILPAC4217	-
		3.0 mmH	ILPC443U	ILPC443	-	ILPAC4330
		4.0 mmH	ILPC444U	ILPC444	ILPAC4417	-
		5.0 mmH	-	-	-	ILPAC4530

5.0 mmP	Restorative Platform	Description	One Piece	Two Piece	17°	30°
		1.0 mmH	ILPC541U	ILPC541	-	-
		2.0 mmH	ILPC542U	ILPC542	ILPAC5217	-
		3.0 mmH	ILPC543U	ILPC543	-	ILPAC5330
		4.0 mmH	ILPC544U	ILPC544	ILPAC5417	-
		5.0 mmH	-	-	-	ILPAC5530

Low Profile Retaining Screws

Description	Item No.
Gold-Tite Low Profile Retaining Screw	LPCGSH
Titanium Low Profile Retaining Screw	LPCTSH
Waxing Low Profile Screw	LPCWS

Low Profile Laboratory Tools

Description	Item No.
Low Profile Lapping Tool	LPCAMI
Low Profile Polishing Protector	LPCPP

Low Profile Impression Copings & Analog

Description	Item No.
Pick Up Impression Coping (Hexed)	LPCPIC1
Pick Up Impression Coping (Non-Hexed)	LPCPIC2
Twist Lock™ Impression Coping (Hexed)	LPCTIC1
Twist Lock Impression Coping (Non-Hexed)	LPCTIC2
QuickBridge® Impression Coping	LPCRIC
Laboratory Analog	LPCLA

Low Profile Provisional Restoration Components

Description	Item No.
Titanium Temporary Cylinder (Hexed)	LPCTC1
Titanium Temporary Cylinder (Non-Hexed)	LPCTC2
PreFormance Temporary Cylinder (Hexed)	LPCPTC1
PreFormance Temporary Cylinder (Non-Hexed)	LPCPTC2
Healing Cap	LPCHC
QuickBridge Cylinder	LPCQB
QuickBridge Cap	LPCQBCAP
Distal Extension	LPCDE

Low Profile Final Restoration Components

Description	Item No.
Gold Cylinder (Hexed)	LPCGC1
Gold Cylinder (Non-Hexed)	LPCGC2
Castable Cylinder (Hexed)	LPCCC1
Castable Cylinder (Non-Hexed)	LPCCC2
Titanium Laser Welded Cylinder	LPCTUCA

Drivers And Tips

Description	Item No.
Low Profile Abutment Driver Short (17 mmL) and Long (24 mmL)	PAD00, PAD24
Hexed Driver Short (17 mm) and Long (24 mmL)	PHD02N, PHD03N
Hexed Driver Tip Short (24 mm) and Long (30 mmL)	RASH3N, RASH8N
Low Profile Abutment Driver Tip	RASA3

P = Restorative Platform • H = Collar Height • L = Length

LOCATOR® Abutments

Material:

Abutment: Titanium Alloy With Titanium Nitride Coating

Housing: Titanium Alloy. Inserts: Nylon

Indications:

- Tissue supported removable overdentures on 2-4 implants
- Partially edentulous overdentures with one or more implants
- Limited interarch distance
- Angle correction with up to 40° between divergent implants

LOCATOR Abutments



3.4 mmP Restorative Platform	
Description	Item No.
1.0 mmH	IMLOA001
2.0 mmH	IMLOA002
3.0 mmH	IMLOA003
4.0 mmH	IMLOA004
5.0 mmH	IMLOA005
6.0 mmH	IMLOA006

4.1 mmP Restorative Platform	
Description	Item No.
1.0 mmH	ILOA001
2.0 mmH	ILOA002
3.0 mmH	ILOA003
4.0 mmH	ILOA004
5.0 mmH	ILOA005
6.0 mmH	ILOA006

LOCATOR R-Tx® Abutments

Material:

Abutment: Titanium Alloy With DuraTec® Titanium Carbon Nitride Coating

Housing: Titanium Alloy with pink anodization. Inserts: Nylon

Indications:

- Tissue supported removable overdentures on 2-4 implants
- Partially edentulous overdentures with one or more implants
- Limited interarch distance
- Angle correction with up to 60° between divergent implants

LOCATOR R-Tx Abutments



3.4 mmP Restorative Platform	
Description	Item No.
1.0 mmH	30300-01
2.0 mmH	30300-02
3.0 mmH	30300-03
4.0 mmH	30300-04
5.0 mmH	30300-05
6.0 mmH	30300-06

4.1 mmP Restorative Platform	
Description	Item No.
1.0 mmH	30301-01
2.0 mmH	30301-02
3.0 mmH	30301-03
4.0 mmH	30301-04
5.0 mmH	30301-05
6.0 mmH	30301-06

LOCATOR Abutment Components

Description	Item No.
Replacement Housing Kit	LORHK
Standard Replacement Insert - White (4-pack)	LARMS*
Extra Light Retention Insert - Blue (4-pack)	LAELM*
Light Retention Replacement Insert - Pink (4-pack)	LLRMS*
Extended Range Inserts - Green (4-pack)	LAERM
Extra Light Retention Extended Range Insert - Red (4-pack)	LELARM
Replacement Housing	LOAH*
Block-Out Spacer (20-pack)	08514*
Impression Coping (one time use)	LAIC1
Laboratory Analog	LALA1

* Included with each LOCATOR Abutment.

LOCATOR Abutment Tools

Description	Item No.
Core Tool/Abutment Driver (3-in-1 instrument)	LCTDR1
Male Extraction Tool	LOA8397**
Abutment Driver Tip Short (24 mmL)	LOADT4
Abutment Driver Tip Large (30 mmL)	LOADT9
0.05 in/ 1.25 mm Hex Driver Tip 24 mmL - used with LCTDR1	RASH4
0.05 in/ 1.25 mm Hex Driver Tip 30 mmL - used with LCTDR1	RASH9

**Part of the Core Tool/Abutment Driver LCTDR1.

LOCATOR R-Tx Abutment Components

Description	Item No.
Zero Retention Insert - Grey (4-pack)	30001-01*
Low Retention Insert - Blue (4-pack)	30002-01*
Medium Retention Insert - Pink (4-pack)	30003-01*
High Retention Insert - Clear (4-pack)	30004-01*
Extra High Retention Insert - Green (4-pack)	30005-01
Processing Insert (4-pack)	30012-01
Denture Attachment Processing Assembly (4-pack)	30013-01*
3.35 mm Abutment Analog (4-pack)	30014-01
4.0 mm Abutment Analog (4-pack)	30015-01
5.0 mm Abutment Analog (4-pack)	30016-01
Impression Coping (4-pack)	30017-01
Processing Spacer (4-pack)	30018-01
Block-Out Spacer (20-pack)	08514*

* Included with each LOCATOR R-Tx Abutment.

LOCATOR R-Tx Abutment Tools

Description	Item No.
Retention Insertion Tool	30021-01
Hexed Driver Short (17 mmL)	PHD02N
Hexed Driver Long (24 mmL)	PHD03N
Hexed Driver Tip Short (24 mmL)	RASH3N
Hexed Driver Tip Long (30 mmL)	RASH8N

P = Restorative Platform • EP = Emergence Profile • D = Diameter

Pick-Up Impression Copings



3.4 mmP	Restorative Platform
Emergence Profile	Item No.
3.4 mmEP	IMIC30
3.8 mmEP	IMIC33
5.0 mmEP	IMIC35
4.1 mmP	Restorative Platform
Emergence Profile	Item No.
4.1 mmEP	IIIC41
4.1 mmEP (Non-Hexed)	IIIC42
5.0 mmEP	IIIC12
6.0 mmEP	IIIC60
5.0 mmP	Restorative Platform
Emergence Profile	Item No.
5.0 mmEP	IWIP50
5.6 mmEP	IWIP55
6.0 mmEP	IWIP56
6.0 mmP	Restorative Platform
Emergence Profile	Item No.
6.0 mmEP	IWIP60
6.8 mmEP	IWIP66

Twist Lock™ Impression Copings



3.4 mmP	Restorative Platform
Emergence Profile	Item No.
3.8 mmEP	IMIT33
5.0 mmEP	IMIT35
4.1 mmP	Restorative Platform
Emergence Profile	Item No.
4.1 mmEP	IIIC44
5.0 mmEP	IIIC45
6.0 mmEP	IIIC46
5.0 mmP	Restorative Platform
Emergence Profile	Item No.
5.0 mmEP	IWIT50
5.6 mmEP	IWIT55
6.0 mmEP	IWIT56
6.0 mmP	Restorative Platform
Emergence Profile	Item No.
6.0 mmEP	IWIT60
6.8 mmEP	IWIT66

Implant Laboratory Analogs




3.4 mmP	Restorative Platform
Description	Item No.
Lab Analog	IMMILA
4.1 mmP	Restorative Platform
Description	Item No.
Lab Analog	IILA20
5.0 mmP	Restorative Platform
Description	Item No.
Lab Analog	IILAW5
6.0 mmP	Restorative Platform
Description	Item No.
Lab Analog	IILAW6

Torque Driver Kits



Description	Item No.
Contra Angle Torque Driver Kit - 20 Ncm and 35 Ncm	NCATD0C
W&H Prosthodontic Screwdriver IA-400	16934000
Low Torque Indicating Ratchet Wrench	L-TIRW
Low Torque Indicating Ratchet Wrench Kit	L-TIRWK
L-TIRW Standard ISO 1797 Adapter*	C9980*
L-TIRW Short ISO 1797 Adapter	C9981



*Included In The Low Torque Indicating Ratchet Wrench Kit

Drivers, Driver Tips & Miscellaneous Items



Description	Short	Long
Hexed Driver 1.2 mmD	PHD02N	PHD03N
Hexed Driver Tip 1.2 mmD	RASH3N	RASH8N
Low Profile Abutment Driver	PAD00	PAD24
Low Profile Abutment Driver Tip	RASA3	-
Low Torque Indicating Ratchet Wrench Standard ISO 1797 Adapter	C9980	-
Twist Lock Coping Driver	ICD00	-
Laboratory Abutment Holder (All Diameters)	ILTAH57	-
Certain QuickSeat® Activator Tool	IQSA01	-
Angled Screw Channel Driver Tip	ASCDT24	ASCDT30
Certain® Direction Indicator Kit	IDIKT	-
Certain® Direction Indicator 10 mm(L)	IDI001	-
Certain® Micromini Direction Indicator 10 mm(L)	IDIM01	-

Abutment Screws



Description	Gold-Tite	Titanium
Hexed Screw	IUNIHG	IUNIHT
Hexed Large Diameter Screw	ILRGHG	ILRGHT

For use with PrePerformance Posts and Temporary Cylinders, FlexLink TiBase, GingiHue Posts and UCLA Abutments.

Laboratory And Impression Coping Screws



Description	Hexed
Try-In Screw (5-pack)	IUNITS
Waxing Screw/Guide Pin	IWSU30
Twist Lock Impression Coping Screw	IWITSC

For use in the laboratory when processing PrePerformance Posts and Temporary Cylinders, GingiHue Posts and UCLA Abutments.

P = Restorative Platform • EP = Emergence Profile • D = Diameter • L = Length



QNTSK40 (Full Surgical Kit For Tapered Implants)



Tapered Implant Dense Bone Tap Kit
(Included in the QNTSK40 Surgical Kit)



Internal Connection Universal Placement Driver Tips
(IIPDTUL, IIPDTUS) with GemLock® Technology

Tapered Implant Surgical Kit

Description	Item No.	QNTSK40
Tapered Implant Depth Indicator 3.25 mmD x 8.5 mmL 3 ea.	NTDI3285	•
Tapered Implant Depth Indicator 3.25 mmD x 10 mmL	NTDI3210	•
Tapered Implant Depth Indicator 3.25 mmD x 11.5 mmL	NTDI3211	•
Tapered Implant Depth Indicator 3.25 mmD x 13 mmL	NTDI3213	•
Tapered Implant Depth Indicator 3.25 mmD x 15 mmL	NTDI3215	•
Tapered Implant Depth Indicator 4.0 mmD x 8.5 mmL 3 ea.	NTDI485	•
Tapered Implant Depth Indicator 4.0 mmD x 10 mmL	NTDI410	•
Tapered Implant Depth Indicator 4.0 mmD x 11.5 mmL	NTDI411	•
Tapered Implant Depth Indicator 4.0 mmD x 13 mmL	NTDI413	•
Tapered Implant Depth Indicator 4.0 mmD x 15 mmL	NTDI415	•
Tapered Implant Depth Indicator 5.0 mmD x 8.5 mmL 3 ea.	NTDI585	•
Tapered Implant Depth Indicator 5.0 mmD x 10 mmL	NTDI510	•
Tapered Implant Depth Indicator 5.0 mmD x 11.5 mmL	NTDI511	•
Tapered Implant Depth Indicator 5.0 mmD x 13 mmL	NTDI513	•
Tapered Implant Depth Indicator 5.0 mmD x 15 mmL	NTDI515	•
Tapered Implant Depth Indicator 6.0 mmD x 8.5 mmL 3 ea.	NTDI685	•
Tapered Implant Depth Indicator 6.0 mmD x 10 mmL	NTDI610	•
Tapered Implant Depth Indicator 6.0 mmD x 11.5 mmL	NTDI611	•
Tapered Implant Depth Indicator 6.0 mmD x 13 mmL	NTDI613	•
Tapered Implant Depth Indicator 6.0 mmD x 15 mmL	NTDI615	•
ACT® Pointed Starter Drill	ACTPSD	•
ACT Reusable Twist Drill 2.0 mmD x 10 mmL	ACT2010	•
ACT Reusable Twist Drill 2.0 mmD x 15 mmL	ACT2015	•
ACT Reusable Twist Drill 2.0 mmD x 20 mmL	ACT2020	•
Certain Countersink Drill, 4.0 mmD	ICD100	•
Quad Shaping Drill 3.25 mmD x 8.5 mmL	QSD3285	•
Quad Shaping Drill 3.25 mmD x 10 mmL	QSD3210	•
Quad Shaping Drill 3.25 mmD x 11.5 mmL	QSD3211	•
Quad Shaping Drill 3.25 mmD x 13 mmL	QSD3213	•
Quad Shaping Drill 3.25 mmD x 15 mmL	QSD3215	•
Quad Shaping Drill 4.0 mmD x 8.5 mmL	QSD485	•
Quad Shaping Drill 4.0 mmD x 10 mmL	QSD410	•
Quad Shaping Drill 4.0 mmD x 11.5 mmL	QSD411	•
Quad Shaping Drill 4.0 mmD x 13 mmL	QSD413	•
Quad Shaping Drill 4.0 mmD x 15 mmL	QSD415	•
Quad Shaping Drill 5.0 mmD x 8.5 mmL	QSD585	•
Quad Shaping Drill 5.0 mmD x 10 mmL	QSD510	•
Quad Shaping Drill 5.0 mmD x 11.5 mmL	QSD511	•
Quad Shaping Drill 5.0 mmD x 13 mmL	QSD513	•
Quad Shaping Drill 5.0 mmD x 15 mmL	QSD515	•
Quad Shaping Drill 6.0 mmD x 8.5 mmL	QSD685	•
Quad Shaping Drill 6.0 mmD x 10 mmL	QSD610	•
Quad Shaping Drill 6.0 mmD x 15 mmL	QSD615	•
Narrow Posterior Small Hex Driver - 17 mmL	PHD00N	•

Description	Item No.	QNTSK40
Quad Shaping Drill 6.0 mmD x 11.5 mmL	QSD611	•
Quad Shaping Drill 6.0 mmD x 13 mmL	QSD613	•
Posterior Large Hex Driver - 17 mmL	PHD02N	•
Narrow Right Angle Large Hex Driver Tip - 24 mmL	RASH3N	•
Certain Universal Ratchet Extension - Short, 6 mmL	IRE100U	•
Certain Universal Ratchet Extension - Long, 15 mmL	IRE200U	•
Direction Indicator, 2.0 mmD x 10 mmL 3 Ea.	DI100	•
ACT Drill Extension	ACTDE	•
Handpiece Connector**	MDR10**	•
Implant Mount for Ex Hex 3.4 mmP x 15 mmL	MMC15	•
Certain Implant Driver Tip 4.1, 5, 6.0 mmP - Long	IIPDTL	•
Certain Implant Driver Tip 4.1, 5, 6.0 mmP - Short	IIPDTS	•
Internal Connection Universal Placement Driver Tip - Long*	IIPDTUL*	•
Internal Connection Universal Placement Driver Tip - Short*	IIPDTUS*	•
Certain Implant Driver Tip 3.4 mmP - Short	IMPDTS	•
Certain Implant Driver Tip 3.4 mmP - Long	IMPDTL	•
Tapered Implant Dense Bone Tap 3.25 mmD x 8.5 mmL	NTAP3285	•
Tapered Implant Dense Bone Tap 3.25 mmD x 10 mmL	NTAP3210	•
Tapered Implant Dense Bone Tap 3.25 mmD x 11.5 mmL	NTAP3211	•
Tapered Implant Dense Bone Tap 3.25 mmD x 13 mmL	NTAP3213	•
Tapered Implant Dense Bone Tap 3.25 mmD x 15 mmL	NTAP3215	•
Tapered Implant Dense Bone Tap 4.0 mmD x 8.5 mmL	NTAP485	•
Tapered Implant Dense Bone Tap 4.0 mmD x 10 mmL	NTAP410	•
Tapered Implant Dense Bone Tap 4.0 mmD x 11.5 mmL	NTAP411	•
Tapered Implant Dense Bone Tap 4.0 mmD x 13 mmL	NTAP413	•
Tapered Implant Dense Bone Tap 4.0 mmD x 15 mmL	NTAP415	•
Tapered Implant Dense Bone Tap 5.0 mmD x 8.5 mmL	NTAP585	•
Tapered Implant Dense Bone Tap 5.0 mmD x 10 mmL	NTAP510	•
Tapered Implant Dense Bone Tap 5.0 mmD x 11.5 mmL	NTAP511	•
Tapered Implant Dense Bone Tap 5.0 mmD x 13 mmL	NTAP513	•
Tapered Implant Dense Bone Tap 5.0 mmD x 15 mmL	NTAP515	•
Tapered Implant Dense Bone Tap 6.0 mmD x 8.5 mmL	NTAP685	•
Tapered Implant Dense Bone Tap 6.0 mmD x 10 mmL	NTAP610	•
Tapered Implant Dense Bone Tap 6.0 mmD x 11.5 mmL	NTAP611	•
Tapered Implant Dense Bone Tap 6.0 mmD x 13 mmL	NTAP613	•
Tapered Implant Dense Bone Tap 6.0 mmD x 15 mmL	NTAP615	•
Open End Wrench (for Ex Hex Implants)	CW100	•
Certain Driver Replacement O-Rings (10-Pack)	IRORDR	•
Tapered Implant Dense Bone Tap Kit Tray	NTAPK	•
Ratchet Extension - Short 6.0 mmL	RE100**	•
Ratchet Extension - Long 15 mmL	RE200**	•
Ratchet Wrench	WR150	•
Empty Surgical Tray	QNTSKT	•
Implant Depth Gauge 20 mmL	DP020	•

*Surgical Kits include the new Internal Connection Universal Placement Driver Tips (IIPDTUL, IIPDTUS) with GemLock Technology, where available.

**The Handpiece Connector (MDR10) and The Ratchet Wrench Extensions (RE100, RE200) are used for the Dense Bone Taps and the External Hex Implant Mounts.

High Torque Indicating Ratchet Wrench*

Description	Item No.
High Torque Indicating Ratchet Wrench	H-TIRW

*Included in the SLIMKT. Not included in the QNTSK40





SLIMKT (Slim Surgical Kit For Tapered Implants)



Internal Connection Universal Placement Driver Tips (IIPDTUL, IIPDTUS) with GemLock® Technology

P = Restorative Platform • EP = Emergence Profile • D = Diameter • L = Length

Tapered Implant Slim Surgical Kit

Description	Item No.	SLIMKT
Tapered Implant Surgical Kit	SLIMKT	•
Tapered Implant Depth Indicator 3.25 mmD x 8.5 mmL 3 ea.	NTDI3285	•
Tapered Implant Depth Indicator 3.25 mmD x 10 mmL	NTDI3210	•
Tapered Implant Depth Indicator 3.25 mmD x 11.5 mmL	NTDI3211	•
Tapered Implant Depth Indicator 3.25 mmD x 13 mmL	NTDI3213	•
Tapered Implant Depth Indicator 4.0 mmD x 8.5 mmL 3 ea.	NTDI485	•
Tapered Implant Depth Indicator 4.0 mmD x 10 mmL	NTDI410	•
Tapered Implant Depth Indicator 4.0 mmD x 11.5 mmL	NTDI411	•
Tapered Implant Depth Indicator 4.0 mmD x 13 mmL	NTDI413	•
ACT® Pointed Starter Drill	ACTPSD	•
ACT Reusable Twist Drill 2.0 mmD x 15 mmL	ACT2015	•
Certain Countersink Drill, 4.0 mmD	ICD100	•
Quad Shaping Drill 3.25 mmD x 8.5 mmL	QSD3285	•
Quad Shaping Drill 3.25 mmD x 10 mmL	QSD3210	•
Quad Shaping Drill 3.25 mmD x 11.5 mmL	QSD3211	•
Quad Shaping Drill 3.25 mmD x 13 mmL	QSD3213	•
Quad Shaping Drill 4.0 mmD x 8.5 mmL	QSD485	•
Quad Shaping Drill 4.0 mmD x 10 mmL	QSD410	•
Quad Shaping Drill 4.0 mmD x 11.5 mmL	QSD411	•
Quad Shaping Drill 4.0 mmD x 13 mmL	QSD413	•
Posterior Large Hex Driver - 17 mmL	PHD02N	•
Certain Universal Ratchet Extension - Long, 15 mmL	IRE200U	•
ACT Drill Extension	ACTDE	•
Handpiece Connector**	MDR10**	•
Internal Connection Universal Placement Driver Tip - Long	IIPDTUL*	•
Internal Connection Universal Placement Driver Tip - Short	IIPDTUS*	•
Certain Implant Driver Tip 4.1, 5, 6.0 mmP - Short	IIPDTS	•
Certain Implant Driver Tip 3.4 mmP - Short	IMPDTS	•
Tapered Implant Dense Bone Tap 3.25 mmD x 8.5 mmL	NTAP3285	•
Tapered Implant Dense Bone Tap 3.25 mmD x 10 mmL	NTAP3210	•
Tapered Implant Dense Bone Tap 3.25 mmD x 11.5 mmL	NTAP3211	•
Tapered Implant Dense Bone Tap 3.25 mmD x 13 mmL	NTAP3213	•
Tapered Implant Dense Bone Tap 4.0 mmD x 8.5 mmL	NTAP485	•
Tapered Implant Dense Bone Tap 4.0 mmD x 10 mmL	NTAP410	•
Tapered Implant Dense Bone Tap 4.0 mmD x 11.5 mmL	NTAP411	•
Tapered Implant Dense Bone Tap 4.0 mmD x 13 mmL	NTAP413	•
Ratchet Extension - Short 6.0 mmL	RE100**	•
High Torque Indicating Ratchet Wrench	H-TIRW	•

* Surgical Kits include the new Internal Connection Universal Placement Driver Tips (IIPDTUL, IIPDTUS) with GemLock Technology, where available

**The Handpiece Connector (MDR10) and The Ratchet Wrench Extension (RE100) are used for the Dense Bone Taps and the External Hex Implant Mounts.



PSKT40 (Full Surgical Kit For Parallel Walled Implants)

P = Restorative Platform • D = Diameter • L = Length



Internal Connection Universal Placement Driver Tips (IIPDTUL, IIPDTUS) with GemLock® Technology

Parallel Walled Implant Surgical Kit

Description	Item No.	PSKT40
Empty Surgical Tray	PTT3001	•
Small Plastic Organizer	PTT100	•
ACT® Reusable Twist Drill, 2.0 mmD x 10 mmL	ACT2010	•
ACT Reusable Twist Drill, 2.0 mmD x 15 mmL	ACT2015	•
ACT Reusable Twist Drill, 2.0 mmD x 20 mmL	ACT2020	•
ACT Reusable Twist Drill, 2.75 mmD x 10 mmL	ACT2710	•
ACT Reusable Twist Drill, 2.75 mmD x 15 mmL	ACT2715	•
ACT Reusable Twist Drill, 2.75 mmD x 20 mmL	ACT2720	•
ACT Reusable Twist Drill, 3.0 mmD x 10 mmL	ACT3010	•
ACT Reusable Twist Drill, 3.0 mmD x 15 mmL	ACT3015	•
ACT Reusable Twist Drill, 3.0 mmD x 20 mmL	ACT3020	•
ACT Reusable Twist Drill, 3.25 mmD x 10 mmL	ACT3210	•
ACT Reusable Twist Drill, 3.25 mmD x 15 mmL	ACT3215	•
ACT Reusable Twist Drill, 3.25 mmD x 20 mmL	ACT3220	•
ACT Reusable Twist Drill, 3.85 mmD x 10 mmL	ACT3810	•
ACT Reusable Twist Drill, 3.85 mmD x 15 mmL	ACT3815	•
ACT Reusable Twist Drill, 3.85 mmD x 20 mmL	ACT3820	•
ACT Reusable Twist Drill, 4.25 mmD x 8.5 mmL	ACT4285	•
ACT Reusable Twist Drill, 4.25 mmD x 13 mmL	ACT4213	•
ACT Reusable Twist Drill, 4.25 mmD x 18 mmL	ACT4218	•
ACT Reusable Twist Drill, 4.85 mmD x 8.5 mmL	ACT4885	•
ACT Reusable Twist Drill, 4.85 mmD x 13 mmL	ACT4813	•
ACT Reusable Twist Drill, 4.85 mmD x 18 mmL	ACT4818	•
ACT Reusable Twist Drill, 5.25 mmD x 8.5 mmL	ACT5285	•
ACT Reusable Twist Drill, 5.25 mmD x 13 mmL	ACT5213	•
ACT Reusable Twist Drill, 5.25 mmD x 18 mmL	ACT5218	•
ACT Drill Extension	ACTDE	•
Countersink/Pilot Drill, 5.0 mmD	CD500	•
Certain Countersink Drill, 4.0 mmD	ICD100	•
Countersink Depth Indicator for ICD100	ICD1100	•

Description	Item No.	PSKT40
Countersink Drill, 4.1 mmD	CD100	•
Countersink/Pilot Drill, 6.0 mmD	CD600	•
Pilot Drill, 2.0-3.0 mmD	PD100	•
Implant Dense Bone Tap, 3.25 mmD x 18 mmL	MTAP2	•
Implant Dense Bone Tap, 4.0 mmD x 13 mmL	TAP413	•
Implant Dense Bone Tap, 5.0 mmD x 13 mmL	TAP53S	•
Implant Dense Bone Tap, 6.0 mmD x 13 mmL	TAP63S	•
Osseotite® 2 Dense Bone Tap, 5.0 mmD x 7-13 mmL	XTAP53S	•
Osseotite 2 Dense Bone Tap, 6.0 mmD x 7-13 mmL	XTAP63S	•
Certain Implant Driver Tip (Short), 3.4 mmP	IMPPTS	•
Certain Implant Driver Tip (Long), 3.4 mmP	IMPDTL	•
Internal Connection Universal Placement Driver Tip - Long*	IIPDTUL*	•
Internal Connection Universal Placement Driver Tip - Short*	IIPDTUS*	•
Certain Implant Placement Driver Tip (Short), 4.1, 5.0, 6.0 mmP	IIPPTS	•
Certain Implant Placement Driver Tip (Long), 4.1, 5.0, 6.0 mmP	IIPDTL	•
Certain Universal Ratchet Extension Driver (Short), 6.0 mmL	IRE100U	•
Certain Universal Ratchet Extension Driver (Long), 15 mmL	IRE200U	•
Narrow Posterior Small Hex Driver, 17 mmL	PHD00N	•
Posterior Large Hex Driver - 17 mmL	PHD02N	•
Narrow Right Angle Large Hex Driver Tip - 24 mmL	RASH3N	•
Certain Driver Tip Replacement O-Rings (10-Pack)	IRORDR	•
Handpiece Connector**	MDR10**	•
Open End Wrench (for Ex Hex Implants)	CW100	•
Ratchet Wrench	WR150	•
Ratchet Extension Short 6.0 mmL (For Taps)	RE100**	•
Ratchet Extension Long 15 mmL (For Taps)	RE200**	•
Implant Depth Gauge, 20 mmL	DP020	•
Implant Mount, 3.4 mmP x 15 mmL	MMC15	•
Direction Indicator, 2.0 mmD x 10 mmL 3ea.	DI100	•
Stainless Steel Round Drill, 2.0 mmD	RD100	•

* Surgical Kits include the new Internal Connection Universal Placement Driver Tips (IIPDTUL, IIPDTUS) with GemLock Technology, where available


**The Handpiece Connector (MDR10) and the Ratchet Wrench Extensions (RE100, RE200) are used for the Dense Bone Taps and the External Hex Implant Mounts.

High Torque Indicating Ratchet Wrench*

Description	Item No.
High Torque Indicating Ratchet Wrench	H-TIRW



*Not Included in the PSKT40.



Tapered Navigator Surgical Kit (SGTIKIT)



Tapered Navigator Tap Kit (SGTTAPT)
(Included in the SGTIKIT Surgical Kit)

P = Restorative Platform • EP = Emergence Profile • D = Diameter • L = Length

Tapered Navigator Surgical Kit

Description	Item No.	SGTIKIT
Tapered Navigator Surgical Tray	SGTTRAY	•
Tapered Navigator Tissue Punch, 4.1 mmD	SGTTP4	•
Tapered Navigator Tissue Punch, 5 mmD	SGTTP5	•
Tapered Navigator Cortical Perforator, 4.1 mmD - Short	SGTCP4S	•
Tapered Navigator Cortical Perforator, 4.1 mmD - Long	SGTCP4L	•
Tapered Navigator Cortical Perforator, 5 mmD - Short	SGTCP5S	•
Tapered Navigator Cortical Perforator, 5 mmD - Long	SGTCP5L	•
Tapered Navigator Twist Drill, 1.9 mmD x A mmL	SGTD19A	•
Tapered Navigator Twist Drill, 1.9 mmD x B mmL	SGTD19B	•
Tapered Navigator Twist Drill, 1.9 mmD x C mmL	SGTD19C	•
Tapered Navigator Twist Drill, 1.9 mmD x D mmL	SGTD19D	•
Tapered Navigator Twist Drill, 1.9 mmD x E mmL	SGTD19E	•
Tapered Navigator Twist Drill, 1.9 mmD x F mmL	SGTD19F	•
Tapered Navigator Twist Drill, 1.9 mmD x G mmL	SGTD19G	•
Tapered Navigator Countersink Drill, 3.4 mmD - Short	MSGTCD5	•
Tapered Navigator Countersink Drill, 4.1 mmD - Short	SGTCD4S	•
Tapered Navigator Countersink Drill, 5 mmD - Short	SGTCD5S	•
Tapered Navigator Countersink Drill, 3.4 mmD - Long	MSGTCDL	•
Tapered Navigator Countersink Drill, 4.1 mmD - Long	SGTCD4L	•
Tapered Navigator Countersink Drill, 5 mmD - Long	SGTCD5L	•
Tapered Navigator Shaping Drill, 3.25 mmD x 8.5 mmL - Short	MSGTD85S	•
Tapered Navigator Shaping Drill, 3.25 mmD x 10 mmL - Short	MSGTD10S	•
Tapered Navigator Shaping Drill, 3.25 mmD x 11.5 mmL - Short	MSGTD11S	•
Tapered Navigator Shaping Drill, 3.25 mmD x 13 mmL - Short	MSGTD13S	•
Tapered Navigator Shaping Drill, 3.25 mmD x 15 mmL - Short	MSGTD15S	•
Tapered Navigator Shaping Drill, 4.1 mmD x 8.5 mmL - Short	SGTD485S	•
Tapered Navigator Shaping Drill, 4.1 mmD x 10 mmL - Short	SGTD410S	•
Tapered Navigator Shaping Drill, 4.1 mmD x 11.5 mmL - Short	SGTD411S	•
Tapered Navigator Shaping Drill, 4.1 mmD x 13 mmL - Short	SGTD413S	•
Tapered Navigator Shaping Drill, 4.1 mmD x 15 mmL - Short	SGTD415S	•
Tapered Navigator Shaping Drill, 5 mmD x 8.5 mmL - Short	SGTD585S	•
Tapered Navigator Shaping Drill, 5 mmD x 10 mmL - Short	SGTD510S	•
Tapered Navigator Shaping Drill, 5 mmD x 11.5 mmL - Short	SGTD511S	•
Tapered Navigator Shaping Drill, 5 mmD x 13 mmL - Short	SGTD513S	•
Tapered Navigator Shaping Drill, 5 mmD x 15 mmL - Short	SGTD515S	•

Description	Item No.	SGTIKIT
Tapered Navigator Shaping Drill, 3.25 mmD x 8.5 mmL - Long	MSGTD85L	•
Tapered Navigator Shaping Drill, 3.25 mmD x 10 mmL - Long	MSGTD10L	•
Tapered Navigator Shaping Drill, 3.25 mmD x 11.5 mmL - Long	MSGTD11L	•
Tapered Navigator Shaping Drill, 3.25 mmD x 13 mmL - Long	MSGTD13L	•
Tapered Navigator Shaping Drill, 3.25 mmD x 15 mmL - Long	MSGTD15L	•
Tapered Navigator Shaping Drill, 4.1 mmD x 8.5 mmL - Long	SGTD485L	•
Tapered Navigator Shaping Drill, 4.1 mmD x 10 mmL - Long	SGTD410L	•
Tapered Navigator Shaping Drill, 4.1 mmD x 11.5 mmL - Long	SGTD411L	•
Tapered Navigator Shaping Drill, 4.1 mmD x 13 mmL - Long	SGTD413L	•
Tapered Navigator Shaping Drill, 4.1 mmD x 15 mmL - Long	SGTD415L	•
Tapered Navigator Shaping Drill, 5 mmD x 8.5 mmL - Long	SGTD585L	•
Tapered Navigator Shaping Drill, 5 mmD x 10 mmL - Long	SGTD510L	•
Tapered Navigator Shaping Drill, 5 mmD x 11.5 mmL - Long	SGTD511L	•
Tapered Navigator Shaping Drill, 5 mmD x 13 mmL - Long	SGTD513L	•
Tapered Navigator Shaping Drill, 5 mmD x 15 mmL - Long	SGTD515L	•
Tapered Navigator Twist Drill Positioning Handle	SGTDPHT	•
Tapered Navigator Reduction Drill Positioning Handle	SGTDPHR	•
Handpiece Connector	MDR10	•
Narrow Right Angle Large Hexed Driver Tip, 24 mmL	RASH3N	•
Posterior Large Hexed Driver, 17 mmL	PHD02N	•
Ratchet Extension, 6 mmL - Short	RE100	•
Ratchet Extension, 15 mmL - Long	RE200	•
Ratchet Wrench	WR150	•
Open End Wrench	CW100	•
Navigator Certain Implant Mount, 3.4 mmD - Short	MSGIIMS	•
Navigator Certain Implant Mount, 3.4 mmP - Long	MSGIIML	•
Navigator Certain Implant Mount, 4.1 mmD - Short	SGIIM4S	•
Navigator Certain Implant Mount, 4.1 mmP - Long	SGIIM4L	•
Navigator Certain Implant Mount, 5 mmD - Short	SGIIM5S	•
Navigator Certain Implant Mount, 5 mmP - Long	SGIIM5L	•
Certain Manual Bone Profiler 3.4 mmP x 4.1 mmEP	IMMBP	•
Certain Manual Bone Profiler 4.1 mmP x 5.0 mmEP	IMBP4	•
Certain Manual Bone Profiler 5.0 mmP x 6.0 mmEP	IMBP5	•
Tapered Navigator Tap Kit	SGTTAPT	•

Tapered Navigator Laboratory Kit

Description	Item No.	SGTILKIT
Tapered Navigator Laboratory Tray	SGTLTRAY	•
Navigator Certain Analog Mount, 3.4 mmD - Short	MSGIAMS	•
Navigator Certain Analog Mount, 4.1 mmD - Short	SGIAM4S	•
Navigator Certain Analog Mount, 5.0 mmD - Short	SGIAM5S	•
Navigator Certain Analog Mount, 3.4 mmD - Long	MSGIAML	•
Navigator Certain Analog Mount, 4.1 mmD - Long	SGIAM4L	•
Navigator Certain Analog Mount, 5.0 mmD - Long	SGIAM5L	•



Parallel Walled Navigator System for Guided Surgery



Navigator Parallel Walled Surgical Kit (SGKIT)



Navigator Parallel Walled Laboratory Kit (SGLKIT)

P = Restorative Platform • EP = Emergence Profile • D = Diameter • L = Length

Parallel Walled Navigator Surgical Kit

Description	Item No.	SGKIT
Parallel Walled Navigator Empty Surgical Tray	SGTRAY	•
Navigator Tissue Punch, 4.1 mmD	SGTP4	•
Navigator Tissue Punch, 5 mmD	SGTP5	•
Navigator Starter Drill, 3.4 mmD	MSGSD	•
Navigator Starter Drill, 3/4 mmD	SGSD34	•
Navigator Starter Drill, 4.1 mmD	SGSD4	•
Navigator Starter Drill, 4/5 mmD	SGSD45	•
Navigator Certain Starter Drill, 5 mmD	SGISD5	•
Navigator Twist Drill, 2 mmD x A mmL	SGD2A	•
Navigator Twist Drill, 2 mmD x B mmL	SGD2B	•
Navigator Twist Drill, 2 mmD x C mmL	SGD2C	•
Navigator Twist Drill, 2 mmD x D mmL	SGD2D	•
Navigator Twist Drill, 2 mmD x E mmL	SGD2E	•
Navigator Twist Drill, 2.75 mmD x A mmL	SGD275A	•
Navigator Twist Drill, 2.75 mmD x B mmL	SGD275B	•
Navigator Twist Drill, 2.75 mmD x C mmL	SGD275C	•
Navigator Twist Drill, 2.75 mmD x D mmL	SGD275D	•
Navigator Twist Drill, 2.75 mmD x E mmL	SGD275E	•
Navigator Twist Drill, 3 mmD x A mmL	SGD3A	•
Navigator Twist Drill, 3 mmD x B mmL	SGD3B	•
Navigator Twist Drill, 3 mmD x C mmL	SGD3C	•
Navigator Twist Drill, 3 mmD x D mmL	SGD3D	•
Navigator Twist Drill, 3 mmD x E mmL	SGD3E	•
Navigator Twist Drill, 3.25 mmD x A mmL	SGD325A	•
Navigator Twist Drill, 3.25 mmD x B mmL	SGD325B	•
Navigator Twist Drill, 3.25 mmD x C mmL	SGD325C	•
Navigator Twist Drill, 3.25 mmD x D mmL	SGD325D	•
Navigator Twist Drill, 3.25 mmD x E mmL	SGD325E	•
Navigator Twist Drill, 3.85 mmD x A mmL	SGD385A	•
Navigator Twist Drill, 3.85 mmD x B mmL	SGD385B	•
Navigator Twist Drill, 3.85 mmD x C mmL	SGD385C	•
Navigator Twist Drill, 4.25 mmD x A mmL	SGD425A	•
Navigator Twist Drill, 4.25 mmD x B mmL	SGD425B	•

Description	Item No.	SGKIT
Navigator Twist Drill, 4.25 mmD x C mmL	SGD425C	•
Navigator Bone Tap, 3.25 mmD	MSGTAP	•
Navigator Bone Tap, 4.1 mmD	SGTAP4	•
Navigator Bone Tap, 4/5 mmD	SGTAP45	•
Navigator Bone Tap, 5 mmD	SGTAP5	•
Navigator Drill Positioning Handle 1	SGDPH1	•
Navigator Drill Positioning Handle 2	SGDPH2	•
Navigator Drill Positioning Handle 3	SGDPH3	•
Navigator Drill Positioning Handle 4	SGDPH4	•
Navigator Drill Positioning Handle 5	SGDPH5	•
Certain Manual Bone Profiler 3.4 mmP x 4.1 mmEP	IMMBP	•
Certain Manual Bone Profiler 4.1 mmP x 5.0 mmEP	IMBP4	•
Certain Manual Bone Profiler 5.0 mmP x 6.0 mmEP	IMBP5	•
Narrow Right Angle Large Hex Driver Tip - 24 mmL	RASH3N	•
Open End Wrench	CW100	•
Ratchet Wrench	WR150	•
Handpiece Connector	MDR10	•
Posterior Large Hexed Driver, 17 mmL	PHD02N	•
Ratchet Extension - Short, 6 mmL	RE100	•
Ratchet Extension - Long, 15 mmL	RE200	•
Navigator Certain Implant Mount, 3.4 mmD x 1 mmL	MSGIIM1	•
Navigator Certain Implant Mount, 3.4 mmD x 2 mmL	MSGIIM2	•
Navigator Certain Implant Mount, 3.4 mmD x 3 mmL	MSGIIM3	•
Navigator Certain Implant Mount, 3.4 mmD x 4 mmL	MSGIIM4	•
Navigator Certain Implant Mount, 4.1 mmD x 1 mmL	SGIIM41	•
Navigator Certain Implant Mount, 4.1 mmD x 2 mmL	SGIIM42	•
Navigator Certain Implant Mount, 4.1 mmD x 3 mmL	SGIIM43	•
Navigator Certain Implant Mount, 4.1 mmD x 4 mmL	SGIIM44	•
Navigator Certain Implant Mount, 5 mmD x 1 mmL	SGIIM51	•
Navigator Certain Implant Mount, 5 mmD x 2 mmL	SGIIM52	•
Navigator Certain Implant Mount, 5 mmD x 3 mmL	SGIIM53	•
Navigator Certain Implant Mount, 5 mmD x 4 mmL	SGIIM54	•

Parallel Walled Navigator Laboratory Kit

Description	Item No.	SGLKIT
Parallel Walled Navigator Laboratory Empty Tray	SGLTRAY	•
Navigator Certain Analog Mount, 3.4 mmD x 1 mmL	MSGIAM1	•
Navigator Certain Analog Mount, 3.4 mmD x 2 mmL	MSGIAM2	•
Navigator Certain Analog Mount, 3.4 mmD x 3 mmL	MSGIAM3	•
Navigator Certain Analog Mount, 3.4 mmD x 4 mmL	MSGIAM4	•
Navigator Certain Analog Mount, 4.1 mmD x 1 mmL	SGIAM41	•
Navigator Certain Analog Mount, 4.1 mmD x 2 mmL	SGIAM42	•

Description	Item No.	SGLKIT
Navigator Certain Analog Mount, 4.1 mmD x 3 mmL	SGIAM43	•
Navigator Certain Analog Mount, 4.1 mmD x 4 mmL	SGIAM44	•
Navigator Certain Analog Mount, 5 mmD x 1 mmL	SGIAM51	•
Navigator Certain Analog Mount, 5 mmD x 2 mmL	SGIAM52	•
Navigator Certain Analog Mount, 5 mmD x 3 mmL	SGIAM53	•
Navigator Certain Analog Mount, 5 mmD x 4 mmL	SGIAM54	•
Navigator Drill Positioning Handle 2	SGDPH2	•



Contact us at 1-800-342-5454 or visit
zimmerbiometdental.com

Zimmer Biomet Dental
Global Headquarters
4555 Riverside Drive
Palm Beach Gardens, FL 33410
Tel: +1-561-776-6700
Fax: +1-561-776-1272

Unless otherwise indicated, as referenced herein, all trademarks are the property of Zimmer Biomet; and all products are manufactured by one or more of the dental subsidiaries of Zimmer Biomet Holdings, Inc. and marketed and distributed by Zimmer Biomet Dental and its authorized marketing partners. LOCATOR, LOCATOR R-Tx and DuraTec are trademarks of Zest IP Holdings LLC. LOCATOR Attachments are manufactured by Zest Anchors, LLC. Contact Zimmer Biomet Dental for references to all claims. For additional product information, please refer to the individual product labeling or instructions for use. Product clearance and availability may be limited to certain countries/regions. This material is intended for HCPs only and does not comprise medical advice or recommendations. Distribution to any other recipient is prohibited. This material may not be copied or reprinted without the express written consent of Zimmer Biomet Dental.

ZBINST0037 REVA 01/21 ©2021 Zimmer Biomet. All rights reserved.

